

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Section 1: Identification

Product name : Coragen® insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019
6 Clayton Street, Newmarket
1023 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixm)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Hazardous to the aquatic environment - acute hazard : Aquatic Acute1

Hazardous to the aquatic environment - chronic hazard : Aquatic Chronic1

GHS label elements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	18.4
propane-1,2-diol	57-55-6	>= 1 -< 10

Section 4: First-aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
If breathing has stopped, apply artificial respiration.

In case of skin contact : In case of skin contact
Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
Call a physician if irritation develops or persists.
Wash contaminated clothing before re-use.

In case of eye contact : Protect unharmed eye.
Remove contact lenses.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Seek medical advice.

If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Do not induce vomiting without medical advice.

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Rinse mouth with water.
Do not give milk or alcoholic beverages.
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Section 5: Fire-fighting measures

Suitable extinguishing media : Carbon dioxide (CO₂)
Dry chemical
Foam
Water spray

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Chlorine compounds
Bromine compounds
Carbon oxides
Nitrogen oxides (NO_x)
Thermal decomposition can lead to release of irritating gases and vapours.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Hazchem Code : 3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Ensure adequate ventilation.
Keep people away from and upwind of spill/leak.
Evacuate personnel to safe areas.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Should not be released into the environment.

Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Shovel into suitable container for disposal.
Clean contaminated surface thoroughly.
To clean the floor and all objects contaminated by this material, use plenty of water.

Section 7: Handling and storage

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.
For personal protection see section 8.
Never return unused material to storage receptacle.
Use only with adequate ventilation/personal protection.

Hygiene measures : Avoid contact with skin, eyes and clothing.
This product should be used only by all personnel thoroughly trained to handle it.
Wash hands before breaks and immediately after handling the product.
Contaminated work clothing should not be allowed out of the workplace.
Do not inhale aerosol.

Conditions for safe storage : Store in a place accessible by authorized persons only.
Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.

Section 8: Exposure controls/personal protection
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	WES-TWA (particulate)	10 mg/m ³	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m ³	NZ OEL

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Impervious clothing
Long sleeved clothing.
Footwear protecting against chemicals
- Protective measures : Plan first aid action before beginning work with this product.
-

Section 9: Physical and chemical properties

- Appearance : liquid
- Colour : white
- Odour : alcohol-like
- Odour Threshold : No data available
- pH : 5 - 9
Concentration: 10 g/l
- Freezing point : -6 °C
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : > 100 °C
No flash up to boiling point.
- Evaporation rate : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Density : 1.094 g/cm³ (20 °C)
- Solubility(ies)
Water solubility : No data available
-

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, dynamic : Not available for this mixture.

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Molecular weight : Not applicable

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.
Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers

Hazardous decomposition products : Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Components:

Chlorantraniliprole:

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

propane-1,2-diol:

- Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg
- Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

- Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Components:

Chlorantraniliprole:

- Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

propane-1,2-diol:

- Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)
Species : mice
Assessment : Not a skin sensitizer.
Method : OECD Test Guideline 429
Result : Animal test did not cause sensitization by skin contact.
GLP : yes

Components:

Chlorantraniliprole:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

propane-1,2-diol:

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.
, Weight of evidence does not support classification as a carcinogen

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 d
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

ment Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.
Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 days
Method : OECD Test Guideline 408

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Section 12: Ecological information

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.035 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l
Exposure time: 72 h

Components:

Chlorantraniliprole:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 120 h
- EC50 (Lemna gibba (duckweed)): > 2 mg/l
Exposure time: 14 d
- NOEC (Lemna gibba (duckweed)): 2 mg/l
Exposure time: 14 d
- ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l
Exposure time: 28 d

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone
- LD50 (Apis mellifera (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water
- LD50 (Apis mellifera (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone
- LD50 (Apis mellifera (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water
- LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
- LC50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
- LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg
- propane-1,2-diol:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life (DT50): 10 d pH: 9

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 15
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils
Stability in soil : Remarks: Very persistent in soil.

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET



Coragen® insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09.01.2023	50000015	Date of first issue: 03.01.2018

EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR007969

ACVM Number : P7832

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-

SAFETY DATA SHEET



Coragen® insecticide

Version 1.1 Revision Date: 09.01.2023 SDS Number: 50000015 Date of last issue: -
Date of first issue: 03.01.2018

METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory
ISHL : Not in compliance with the inventory
KECI : Not in compliance with the inventory
PICCS : Not in compliance with the inventory
IECSC : Not in compliance with the inventory
NZIoC : Not in compliance with the inventory
TECI : Not in compliance with the inventory

Section 16: Other information

Revision Date : 09.01.2023

Further information

Other information : see user defined free text

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

SAFETY DATA SHEET



Coragen® insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09.01.2023	50000015	Date of first issue: 03.01.2018

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N